


Adjustable & Fixed Bayonet Fittings



ADJUSTABLE BAYONET FITTING

Part #	Description
TC439	Bayonet fitting w/ compression nut and sleeve & spring. Bore size for 1/8" OD probe

- Supplied as a set: bayonet cap, spring & 2 braze rings
- Material:
Spring: SS316
Braze rings: SS316
Bayonet Cap: Ni Plated Brass
- Note: these items can be ordered separately—see following page
Bayonet cap: BC-P
Spring: BCS-158-316
Braze Rings: BR-316





FIXED BAYONET FITTING

Part #	Description
TC430	Fixed bayonet fitting for 3/16" OD probe

NOTES

Bayonet Fittings: Caps & Springs



- Material: Nickel Plated Brass
- BC-FA: suits our flex armor (page 20) and most other US manufacturers of flex armor
- Custom caps available to special order

BAYONET CAPS	
Part #	Description
BC-S	Threaded for BCS-10-316 spring
BC-P	Plain - for 3/16" OD probe
BC-FA	Threaded for 3/16" ID Flex Armor



- Material: SS316
- Custom springs available to special order

SPRINGS	
Part #	Description
BCS-10-316	Stainless Steel 316: 10" Bell Spring for 3/16" OD Probes (suits BC-S Caps)
BCS-158-316	Stainless Steel 316: 1-5/8" for 3/16" OD Probe (suits BC-P)
BR-316	Stainless Steel 316: Braze Rings for 3/16" probe

NOTES

Bayonet Fittings: Adaptors



- Material: Nickel Plated Brass
- Thread: 1/8" NPT
- Custom adaptors available to special order

NOTES

BAYONET ADAPTORS

Part #	Length
BCA-078	7/8"
BCA-100	1"
BCA-114	1-1/4"
BCA-138	1-3/8"
BCA-112	1-1/2"
BCA-200	2"
BCA-214	2-1/4"
BCA-212	2-1/2"
BCA-300	3"
BCA-312	3-1/2"